

Section VI. Toxicological properties	
Routes of entry	
Effects of acute exposure	Corrosive to skin. Harmful if swallowed or inhaled. Causes severe burns.
Eye	Causes severe burns. May cause permanent damage.
Skin	Causes burns if the exposed area is not washed immediately.
Inhalation	If inhaled, nose and throat irritation.
Ingestion	If ingested, burning of the mouth, pharynx and abdomen.
Effects of chronic overexposure	Laboratory experiments have shown mutagenic effect of hydroxylamine hydrochloride. Target organ: blood.
Section VII First aid measures	
Eye contact	Immediately flush with copious quantities of water for at least 15 minutes holding lids apart to ensure flushing of the entire surface. Seek immediate medical attention.
Skin contact	Remove the contaminated clothes and flush with plenty of water and soap. Seek medical attention if irritation symptoms persist.
Inhalation	If inhaled, remove patient to fresh air. If the symptoms persist, consult a physician.
Ingestion	Have conscious person drink several glasses of water or milk. DO NOT induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Seek immediate medical attention.

Section VIII. Preventive measures	
Protective clothing in case of spill and leak	Not applicable
Spill and leak	Absorb spill with inert materials such as clays, sand, earth or vermiculite and place in closed container for disposal. Clean the spill area after product complete removal. DO NOT empty into drain.
Waste disposal	According to all applicable regulations.
Storage and handling	Store away oxidizers. Do not store with other incompatible materials, even in case of spill. Keep containers closed and in upper position.

Section IX. Protective measures	
Protective clothing	Not applicable
Engineering controls	Not applicable

Section X. Other information	
Special precautions or comments	Corrosive! Avoid all contact with product. Wash always hands after this product containers manipulation, and before eating.

Prepared by Rolf C. Hagen Inc. (514) 332-0914	Validated January 18, 2005	MSDS A7836
---	----------------------------	------------